

LISTA DE LUCRĂRI

Conf. Dr. Ruprecht Eszter-Karolina

Articole în reviste cotate ISI

- Ruprecht, E. (2005). Secondary succession in old-fields in the Transylvanian Lowland (Romania). *Preslia, Praha* 77: 145-157. [FI=1,54]
- Ruprecht, E. (2006). Successfully recovered grassland: a promising example from Romanian old-fields. *Restoration Ecology* 14: 473-480. [FI=1,61]
- Ruprecht, E., Bartha, S., Botta-Dukát, Z., Szabó, A. (2007). Assembly rules during old-field succession in two contrasting environments. *Community Ecology* 8: 31-40. [FI=0,604]
- Ruprecht, E., Donath, T.W., Otte, A., Eckstein, R.L. (2008). Chemical effects of a dominant grass on seed germination of four familial pairs of dry grassland species. *Seed Science Research* 18: 239-248. [FI=1,482]
- Enyedi, Z.M., Ruprecht, E., Deák, M. (2008). Long-term effects of the abandonment of grazing on steppe-like grasslands. *Applied Vegetation Science* 11: 55-62. [FI=1,305]
- Bartha, S., Campetella, G., Ruprecht, E., Kun, A., Házi, J., Horváth, A., Virágh, K., Molnár, Zs. (2008). Will interannual variability in sand grassland communities increase with climate change? *Community Ecology* 9 (Suppl): 13-21. [FI=0,898]
- Ruprecht, E., Enyedi, M.Z., Eckstein, R.L., Donath, T.W. (2010). Restorative removal of plant litter and vegetation 40 years after abandonment enhances re-emergence of steppe grassland vegetation. *Biological Conservation* 143: 449-456. [FI=3,566]
- Ruprecht, E., Józsa, J., Ölvedi, T.B., Simon, J. (2010). Differential effects of several "litter" types on the germination of dry grassland species. *Journal of Vegetation Science* 21: 1069-1081. [FI=2,376]
- Ruprecht, E., Szabó, A. (2012). Grass litter is a natural seed trap in long-term undisturbed grassland. *Journal of Vegetation Science* 23: 495-504. [FI=2,818]
- Wagner, V., Treiber, J., Danihelka, J., Ruprecht, E., Wesche, K., Hensen, I. (2012). Declining genetic diversity and increasing genetic isolation towards the range periphery of *Stipa pennata*, a Eurasian feather grass. *International Journal of Plant Sciences* 173(7): 1-11. [FI=1,54]
- Ruprecht, E., Fenesi, A., Nijs, I. (2013). Sudden changes in environmental conditions do not increase invasion risk in grassland. *Acta Oecologica* 47: 8-15. [FI=1,841]
- Ruprecht, E., Fenesi, A., Fodor, E.I., Kuhn, T. (2013). Prescribed burning as an alternative management in grasslands of temperate Europe: The impact on seeds. *Basic and Applied Ecology* 14: 642-650. [FI=2,696]
- Durka, W., Nossol, C., Welk, E., Ruprecht, E., Wagner, V., Wesche, K., Hensen, I. (2013). Extreme genetic depauperation and differentiation of both populations and species in Eurasian feather grasses (*Stipa*). *Plant Systematics and Evolution* 299: 259-269. [FI=1,335]
- Schmiede, R., Ruprecht, E., Eckstein, R.L., Otte, A., Donath, T.W. (2013). Establishment of rare flood meadow species by plant material transfer: Experimental tests of threshold amounts and the effect of sowing position. *Biological Conservation* 159: 222-229. [FI=4,115]
- Becker, T., Reitalu, T., Ruprecht, E., Dengler, J. (2013). Dry grassland of Europe: biodiversity, classification, conservation and management – Editorial to the 8th Dry Grassland Special Feature. *Tuexenia* 33: 285-291. [FI= 1,516]
- Ruprecht, E., Fenesi, A., Nijs, I. (2014). Are plasticity in functional traits and constancy in performance traits linked with invasiveness? An experimental test comparing invasive and naturalized plant species. *Biological Invasions* 16: 1359-1372. [FI=2,509]
- Fenesi, A., Geréd, J., Sándor, D., Ruprecht, E. (2014). Can transgenerational plasticity contribute to the invasion success of annual plant species? *Oecologia* 176:95-106. [FI=3,248]

- Fenesi, A., Albert, Á., Ruprecht, E. (2014). Fine-tuned ability to predict future competitive environment in *Ambrosia artemisiifolia* seeds. *Weed Research* 54: 58-69. [FI=2,045]
- Turtureanu, P.D., Palpurina, S., Becker, T., Dolnik, C., Ruprecht, E., Sutcliffe, L.M.E., Szabó, A., Dengler, J. (2014). Scale- and taxon-dependent biodiversity patterns of dry grassland vegetation in Transylvania (Romania). *Agriculture, Ecosystems and Environment* 182: 15-24. [FI=2,859]
- Janišová, M., Boch, S., Ruprecht, E., Reitalu, T., Becker, T. (2014). Continental dry grasslands from range margin to range centre – Editorial to the 9th Dry Grassland Special Feature. *Tuexenia* 34: 347-353. [FI=1,516]
- Ruprecht, E., Janišová, M., Sutcliffe, L., Boch, S., Becker, T. (2015). Dry grasslands of Central-Eastern and South-Eastern Europe shaped by environmental heterogeneity and human land use – Editorial to the 10th Dry Grassland Special Feature. *Tuexenia* 35: 321-328. [FI=1,516]
- Ruprecht, E., Fenesi, A., Fodor, E.I., Kuhn, T., Tökölyi, J. (2015). Shape determines fire tolerance of seeds in temperate grasslands that are not prone to fire. *Perspectives in Plant Ecology, Evolution and Systematics*, in press (DOI: 10.1016/j.ppees.2015.07.001). [FI=3,606]
- Ruprecht, E., Enyedi, M.Z., Szabó, A., Fenesi, A. (2015). Biomass removal by clipping and raking vs. burning for the restoration of abandoned *Stipa*-dominated European steppe-like grassland. *Applied Vegetation Science*, in press (DOI: 10.1111/avsc.12199). [FI=2,548]
- Fenesi, A., Geréd, J., Meiners, S.J., Tóthmérész, B., Török, P., Ruprecht, E. (2015). Does disturbance enhance the competitive effect of the invasive *Solidago canadensis* on the performance of two native grasses? *Biological Invasions*, in press (DOI: 10.1007/s10530-015-0954-8). [FI=2,586]
- Hirsch, H., Wagner, V., Danihelka, J., Ruprecht, E., Sánchez-Gómez, P., Seifert, M., Hensen, I. (2015). High genetic diversity declines towards the geographic range periphery of *Adonis vernalis*, a Eurasian dry grassland plant. *Plant Biology*, in press (DOI: 10.1111/plb.12362). [FI=2,633]
- Chytrý, M., Hennekens, S.M., Jiménez-Alfaro, B., Knollová, I., Dengler, J., Jansen, F., Landucci, F., Schaminée, J.H.J., Ačić, S., Agrillo, E., Ambarlı, D., Angelini, P., Apostolova, I., Attorre, F., Berg, C., Bergmeier, E., Biurrun, I., Botta-Dukát, Z., Brisse, H., Campos, J.A., Carlón, L., Čarni, A., Casella, L., Csiky, J., Čušterevska, R., Dajić Stevanović, Z., Danihelka, J., De Bie, E., de Ruffray, P., De Sanctis, M., Dickoré, W.B., Dimopoulos, P., Dubyna, D., Dziuba, T., Ejrnæs, R., Ermakov, N., Ewald, J., Fanelli, G., Fernández-González, F., FitzPatrick, Ú., Font, X., García-Mijangos, I., Gavilán, R.G., Golub, V., Guarino, R., Haveman, R., Indreica, A., Işık Gürsoy, D., Jandt, U., Janssen, J.A.M., Jiroušek, M., Kački, Z., Kavgacı, A., Kleikamp, M., Kolomiychuk, V., Krstivojević Čuk, M., Krstonošić, D., Kuzemko, A., Lenoir, J., Lysenko, T., Marcenò, C., Martynenko, V., Michalcová, D., Moeslund, J.E., Onyshchenko, V., Pedashenko, H., Pérez-Haase, A., Peterka, T., Prokhorov, V., Rašomavičius, V., Rodríguez-Rojo, M.P., Rodwell, J.S., Rogova, T., Ruprecht, E., Rūsiņa, S., Seidler, G., Šibík, J., Šilc, U., Škvorc, Ž., Sopotlieva, D., Stančić, Z., Svenning, J.-C., Swacha, G., Tsiripidis, I., Turtureanu, P.D., Uğurlu, E., Uogintas, D., Valachovič, M., Vashenyak, Y., Vassilev, K., Venanzoni, R., Virtanen, R., Weekes, L., Willner, W., Wohlgemuth, T., Yamalov, S. (2015). European Vegetation Archive (EVA): an integrated database of European vegetation plots. *Applied Vegetation Science*, in press (DOI: 10.1111/avsc.12191). [FI=2,548]
- Ruprecht, E., Lukács, K., Domokos, P., Kuhn, T., Fenesi, A. (2015). Hydration status influences seed fire tolerance in temperate European herbaceous species. *Plant Biology*, in press (DOI: 10.1111/plb.12394). [FI=2,633]

Articole în reviste indexate BDI

- Ruprecht, E., Botta-Dukát, Z. (1999/2000). Long-term vegetation textural changes on three fen communities near Cluj-Napoca (Romania). *Acta Botanica Hungarica* 42: 263-281.
- Botta-Dukát, Z., Ruprecht, E. (1999/2000). Using concentration analysis for operating with indicator values: effect of grouping species. *Acta Botanica Hungarica* 42: 55-63.
- Penksza, K., Ruprecht, E. (2002). Some corrections to the identification and data about the occurrence of *Hierochloe repens* (Host) Simonkai in Romania. *Contribuții Botanice* 37: 7-12.
- Ruprecht, E., Szabó, A., Enyedi, M.Z., Dengler, J. (2009). Steppe-like grasslands in Transylvania (Romania): characterisation and influence of management on species diversity and composition. *Tuexenia* 29: 353-368.
- Ruprecht, E., Fenesi, A., Szabó, A. (2012). Vegetation database of the dry grasslands from the Transylvanian Basin. In: Dengler, J., Oldeland, J., Jansen, F., Chytrý, M., Ewald, J., Finckh, M., Glöckler, F., Lopez-Gonzalez, G., Peet, R.K., Schaminée, J.H.J. (eds.): Vegetation databases for the 21st century. *Biodiversity & Ecology* 4: 413-413.
- Dengler, J., Becker, T., Ruprecht, E., Szabó, A., Becker, U., Beldean, M., Bită-Nicolae, C., Dolnik, C., Goia, I., Peyrat, J., Sutcliffe, L.M.E., Turtureanu, P.D., Uğurlu, E. (2012). *Festuco-Brometea* communities of the Transylvanian Plateau (Romania) – a preliminary overview on syntaxonomy, ecology, and biodiversity. *Tuexenia* 32: 319-359.
- Dengler, J., Todorova, S., Becker, T., Boch, S., Chytrý, M., Diekmann, M., Dolnik, C., Dupré, C., Giusso del Galdo, G.P., Guarino, R., Jeschke, M., Kiehl, K., Kuzemko, A., Löbel, S., Otýpková, Z., Pedashenko, H., Peet, R.K., Ruprecht, E., Szabó, A., Tsiripidis, I., Vassilev, K. (2012). Database Species-Area Relationships in Palaeartic Grasslands. In: Dengler, J., Oldeland, J., Jansen, F., Chytrý, M., Ewald, J., Finckh, M., Glöckler, F., Lopez-Gonzalez, G., Peet, R.K., Schaminée, J.H.J. (eds.): Vegetation databases for the 21st century. *Biodiversity & Ecology* 4: 321-322.
- Török, P., Migléc, T., Valkó, O., Tóth, K., Kelemen, A., Albert, Á., Matus, G., Molnár, V.A., Ruprecht, E., Papp, L., Deák, B., Horváth, O., Takács, A., Hüse, B., Tóthmérész, B. (2013). New thousand-seed weight records of the Pannonian flora and their application in analysing Social Behaviour Types. *Acta Botanica Hungarica* 55(3-4): 429-472.

Articole în alte reviste

- Ruprecht, E. (1998). Egyes jégkori reliktumok és egyéb növényritkaságok elterjedésének és populációméretének vizsgálata a Kolozsvár környéki Malom-völgyben (Study of some glacial relics and other rare plant species in the Malom-valley near Cluj-Napoca, Transylvania). *Collegium Biologicum* 2: 37-43 [in Hungarian with English abstract].
- Ruprecht, E. (1999). A lápi vegetáció múltja és jelene a kolozsvári Malom-völgyben (Past and future of the mire vegetation in the Malom valley near Cluj-Napoca). *Múzeumi Füzetek* 8: 110-116 [in Hungarian with English abstract].
- Ruprecht, E., Botta-Dukát, Z. (1999). Talaj-növényzet kapcsolatok vizsgálata üde láprét-komplexekben (Soil-vegetation relationships in a rich fen-complex). *Kitaibelia* 4(2): 331-340 [in Hungarian with English abstract].
- Ruprecht, E., Szabó, A. (1999). A Lassuág-völgy lápjainak vegetációja (The vegetation of the mires from the Lassúág valley). *Múzeumi Füzetek* 8: 94-109 [in Hungarian with English abstract].
- Ruprecht, E. (2000). Előzetes megfigyelések az Erdélyi-Mezőség felhagyott szántói táji léptékű vegetációdinamikájának főbb trendjeiről (Preliminary observations on the landscape-scale vegetation dynamics of old-fields in the Transylvanian Mezőség). *Crisicum* 3: 43-56 [in Hungarian with English abstract].

- Szabó, A., Ruprecht, E. (2001). Az Erdélyi-Mezőség központi részének fontosabb tájtörténeti és tájdinamikai változásai (Important changes of the landscape history and dynamics in the central part of the Transylvanian Lowland (Romania)). *Kanitzia* 9: 151-164 [in Hungarian with English abstract].
- Ruprecht, E., Kun, A., Szabó, A. (2003). Száraz gyepek térbeli mintázatainak összehasonlítása az Erdélyi-Mezőségen (Comparing the spatial organization of dry grasslands in the Transylvanian Lowland). *Múzeumi Füzetek* 12: 91-113 [in Hungarian with English abstract].
- Kun, A., Ruprecht, E., Szabó, A. (2004). Az Erdélyi-medence bioklimatológiai jellemzése (The bioclimatological characteristics of the Transylvanian Basin, Romania). *Múzeumi Füzetek* 13: 63-81 [in Hungarian with English abstract].
- Kun, A., Ruprecht, E., Bartha, S., Szabó, A., Virágh, K. (2007). Az Erdélyi Mezőség kincse: a gyepvegetáció egyedülálló gazdagsága (Unique diversity of grassland in the Transylvanian Lowland). *Kitaibelia* 12: 88-96 [in Hungarian with English abstract].
- Bartha, S., Csathó, A.I., Virágh, K., Szentes, S., Csathó, A.J., Sutyinszki, Z., Horváth, A., Ruprecht, E. (2011). Tompapusztai löszgyep mikrocönológiai értékelése I. Florális diverzitás és koordináltság (Assessing naturalness in the Tompapuszta loess steppe meadow I. Diversity of species combinations and stationarity of fine scale patterns). *Crisicum* 7: 45-55 [in Hungarian with English abstract].

Capitole în cărți/volume, în edituri internaționale

- Ruprecht, E. (2012). Cessation of Traditional Management Reduces the Diversity of Steppe-Like Grasslands in Romania Through Litter Accumulation. In: Marinus J.A. Werger & Marja A. van Staalduinen (eds.) *Eurasian Steppes – Ecological Problems and Livelihoods in a Changing World*, Springer, Dordrecht Heidelberg New York London, pp. 197-208.

Capitole în cărți/volume, în edituri naționale

- Kun, A., Aszalós, R., Botta-Dukát, Z., Bíró, M., Bölöni, J., Fekete, G., Horváth, F., Krasser, D., Molnár, Zs., Ruprecht, E., Török, K. (2002). A növénytakaró vizsgálata és leírása táji léptékben: az utóbbi évtized (Vegetation studies on a landscape scale: the last decade). In: Fekete, G. (ed.) *Az MTA Ökológiai és Botanikai Kutatóintézete 50 éve (1952-2002) (The last 50 years of the Institute of Ecology and Botany of the Hungarian Academy of Sciences, 1952-2002)*, MTA ÖBKI, Vácrátót, pp. 35-64 [in Hungarian with English abstract].
- Szabó, A., Ruprecht, E. (2005). Táj történet és botanika egy észak-mezőségi terület példáján (Land-use history and botany in the northern part of the Transylvanian Lowland). In: Fekete, A. (ed.) *Az erdélyi táj kérdései (Questions related to the Transylvanian landscape)*, Editura Művelődés, Cluj-Napoca, pp. 94-101 [in Hungarian with English abstract].
- Fenesi, A., Ruprecht, E., Vincze, E. (2009). Aggressively spreading exotic plant species in Romania. In: Rákósy, L., Momeu, L. (eds.) *Neobiota din România*, Presa Universitară Clujeană, Cluj-Napoca, pp. 50-65.
- Mátis, A., Kolcsár, L.P., Ruprecht, E. (2011). A vaslábi láp flórája és vegetációja (Flora and vegetation of the fen complex near Voşlobeni). In: Markó, B. & Sárkány-Kiss, E. (eds.) *A Gyergyói-medence: egy mozaikos táj természeti értékei (Giurgeului Basin: natural values of a mosaic-type landscape)*, Presa Universitară Clujeană, Cluj-Napoca, pp. 37-53 [in Hungarian with English abstract].

Cluj-Napoca, 05.10.2015

Conf. Dr. Ruprecht Eszter-Karolina